
2018 - 2020
LIVE LIFE
TO THE
FULLEST



TECHNICAL TEXTILE FOR OUTDOOR

SUNPROOF ATEJA PREMIUM

Sunproof is Ateja premium quality of outdoor fabric which provides the exclusive solution for your comfort. It is produced with a series of technical data proving the high performance of the fabric against the natural weather (rain or shine) according to ASTM G53 - 96, American Standard.

ALL SUNPROOF FABRICS HAVE PASSED THE STRINGENT TESTS ACCORDING TO BRITISH STANDARD AND OTHER INTERNATIONAL STANDARDS :

Color fastness to artificial weathering, color fastness to rubbing, color fastness to chlorinated pool water, color fastness to sea water, water repellency, soil & stain repellency, anti bacterial, anti mildew and UV resistance.

SUNPROOF IS OEKO-TEX CERTIFIED AND 100% RECYCLABLE

As a proof of our commitment to the environment, all our manufacturing facilities have been certified for their environmental - friendly quality - ISO 14001.

THEREFORE, AS A COMPANY THAT CARES FOR THE ENVIRONMENT AND PRODUCES RELIABLE QUALITY OUTDOOR FABRICS, OUR PRODUCTS HAVE BEEN DISTRIBUTED WORLD WIDE.

CURRENTLY, SUNPROOF HAS BEEN TRUSTED AS A QUALITY OUTDOOR IN AUSTRALIA, BELGIUM, CANADA, FRANCE, GERMANY, ITALY, MEXICO, NETHERLAND, NEW ZEALAND, NORWAY, SPAIN, SWEDEN, SWITZERLAND, UNITED KINGDOM, UNITED STATES OF AMERICA, JUST TO NAME A FEW. SUNPROOF PROVIDES YOU EXCELLENT CHOICE FOR VALUE, DURABILITY AND COMFORT.

CONTENT


PLAIN & TEXTURE

CARTENZA
CARTENZA#NK
STINSON
STINSONNAVI
WIFERA
COPACOBANA
GRACEBAY
LANIKAI
VINICIO
PALOLEM
SOUTHEND
BRITANNIA
PRAIA
KITSILANO
BARRANCO
FONTELINA
VENAO
PALLAZO

PATTERN

ALBENA
BRAY
CURIOSITY
NEWKOBLENZ
NATADOLA
NEGRIL#R
PINAMAR
LAPUNTA
RONDINARA
KAPUTAS
CORONADO
LAYTOWN

COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGHT : 238 gr/m²
ABRASION (Rubs) : 12.000 (BS EN 14465 Annex A)



CARTENZA



CARTENZA 130




CARTENZA 131




CARTENZA 143




CARTENZA 144



CARTENZA 140



CARTENZA 142




CARTENZA 164



CARTENZA 165



CARTENZA 161



CARTENZA 163



CARTENZA 167



CARTENZA 090



CARTENZA 180



CARTENZA 151



CARTENZA 150



CARTENZA 082



CARTENZA 182



CARTENZA 181



CARTENZA 081



CARTENZA 080



CARTENZA 050



CARTENZA 101



CARTENZA 100



CARTENZA 195



CARTENZA 190



CARTENZA 010



CARTENZA 110



CARTENZA 031



CARTENZA 030



CARTENZA 060



CARTENZA 020



CARTENZA 021



CARTENZA 225



CARTENZA 070



CARTENZA 230



CARTENZA 223



CARTENZA 221



CARTENZA 042



CARTENZA 211




CARTENZA 210



CARTENZA 040



CARTENZA 044



CARTENZA 220




CARTENZA 122



CARTENZA 120



CARTENZA 121




CARTENZA#NK 161



CARTENZA#NK 050




CARTENZA#NK 044




CARTENZA#NK 090



CARTENZA#NK 163




CARTENZA#NK 120




CARTENZA#NK 230



COMPOSITION : 100% Olefin
WIDTH : 140 cm
WEIGHT : 287 gr/m2
ABRASION (Rubs) : 16.000 (BS EN 14465 Annex A)




STINSON



STINSON 163




STINSON 130




STINSON 131



STINSON 143




STINSON 180



STINSON 181



STINSON 161



STINSON 165



STINSON 167



STINSON 081



STINSON 080



STINSON 090




STINSON 100




STINSON 010



STINSON 110



STINSON 220



STINSON 042




STINSON 210




STINSON 044




STINSON 021



STINSONNAVI 051



STINSONNAVI 165




STINSONNAVI 210




STINSONNAVI 125


COMPOSITION : 100% Olefin
 WIDTH : 150 cm
 WEIGH : 234 gr/m2
 ABRASION (Rubs) : 10.000 (BS EN 14465 Annex A)




WIFERA




WIFERA 140




WIFERA 143




WIFERA 180




WIFERA 163



WIFERA 160



WIFERA 042



WIFERA 041



WIFERA 161



WIFERA 081




WIFERA 131



WIFERA 121




WIFERA 162




WIFERA 091

COMPOSITION : 100% Olefin
 WIDTH : 150 cm
 WEIGHT : 357 gr/m2
 ABRASION (Rubs) : 20.000 (BS EN 14465 Annex A)



COPACOBANA



COPACOBANA 164



COPACOBANA 180




COPACOBANA 182




COPACOBANA 160



COPACOBANA 162



COPACOBANA 161



COPACOBANA 165



COPACOBANA 163



COPACOBANA 082



COPACOBANA 090



COPACOBANA 060

COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGH : 316 gr/m2
ABRASION (Rubs) : 20.000 (BS EN 14465 Annex A)



GRACEBAY



GRACEBAY 133



GRACEBAY 160




GRACEBAY 161



GRACEBAY 090



GRACEBAY 140



GRACEBAY 050



GRACEBAY 101



GRACEBAY 021




GRACEBAY 210



GRACEBAY 044



COMPOSITION : 100% Olefin
WIDTH : 140 cm
WEIGHT : 352 gr/m2
ABRASION (Rubs) : 18.000 (BS EN 14465 Annex A)




LANIKAI



LANIKAI 140



LANIKAI 180



LANIKAI 143




LANIKAI 084



LANIKAI 083



LANIKAI 160




LANIKAI 161



LANIKAI 095

COMPOSITION : 100% Olefin
WIDTH : 155 cm
WEIGHT : 262 gr/m2
ABRASION (Rubs) : 8.000 (BS EN 14465 Annex A)




PALOLEM



LANIKAI 090




PALOLEM 182




PALOLEM 161



PALOLEM 180



PALOLEM 022




PALOLEM 220



PALOLEM 100

COMPOSITION : 100% Olefin
 WIDTH : 150 cm
 WEIGH : 266 gr/m2
 ABRASION (Rubs) : 16.000 (BS EN 14465 Annex A)



SOUTHEND



SOUTHEND 130



SOUTHEND 168



SOUTHEND 161



SOUTHEND 160



SOUTHEND 165




SOUTHEND 093



SOUTHEND 100



SOUTHEND 020




SOUTHEND 221



SOUTHEND 040



COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGHT : 202 gr/m2
ABRASION (Rubs) : 10.000 (BS EN 14465 Annex A)



BRITANNIA




BRITANNIA

130



BRITANNIA

145



BRITANNIA

180




BRITANNIA

181



BRITANNIA

091



BRITANNIA

167



BRITANNIA

050




BRITANNIA

101



BRITANNIA

010



BRITANNIA

030



BRITANNIA

021



BRITANNIA

230



BRITANNIA


120




BRITANNIA

060

COMPOSITION : 100% Olefin
WIDTH : 140 cm
WEIGHT : 287 gr/m²
ABRASION (Rubs) : 20.000 (BS EN 14465 Annex A)




PRAIA



PRAIA 021




PRAIA 091




PRAIA 010




PRAIA 090




PRAIA 161




PRAIA 130



PRAIA 210




PRAIA 160




PRAIA 092

COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGHT : 267 gr/m²
ABRASION (Rubs) : 12.000 (BS EN 14465 Annex A)





COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGHT : 229 gr/m2
ABRASION (Rubs) : 40.000 (BS EN 14465 Annex A)



KITSILANO



KITSILANO 070



KITSILANO 120




KITSILANO 121




KITSILANO 122

COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGHT : 238 gr/m2
ABRASION (Rubs) : 10.000 (BS EN 14465 Annex A)



BARRANCO



BARRANCO 103




BARRANCO 140



BARRANCO 164




BARRANCO 083




BARRANCO 161

COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGHT : 357 gr/m2
ABRASION (Rubs) : 16.000 (BS EN 14465 Annex A)




Fontelina



Fontelina 225




Fontelina 180



Fontelina 163




Fontelina 090



Fontelina 120

COMPOSITION : 100% Olefin
WIDTH : 150 cm
WEIGH : 194 gr/m2
ABRASION (Rubs) : 20.000 (BS EN 14465 Annex A)



Venao



Venao 144



Venao 181



VENAO 165



VENAO 168



VENAO 167




VENAO 090



VENAO 190



VENAO 010




VENAO 050



VENAO 102



VENAO 101



VENAO 022



VENAO 021



VENAO 230




VENAO 210



VENAO 040



VENAO 044



VENAO 122



VENAO 061




VENAO 060



VENAO 080

COMPOSITION : 100% Olefin
WIDTH : 140 cm
WEIGHT : 287 gr/m2
ABRASION (Rubs) : 18.000 (BS EN 14465 Annex A)




PALAZZO



PALAZZO 141



PALAZZO 180



PALAZZO 143



PALAZZO 163

UV Resistance



Water Repellency



Anti Bacterial



Environmental Friendly



Recyclable



These patterns are stock keeping unit.
 Other pattern collections are available upon
 request / inquiry or visit our website
www.sunproof.co.id



ALBENA 190
 REPEAT: H= 13cm



ALBENA 050
 REPEAT: H= 13cm




ALBENA 100
 REPEAT: H= 13cm




ALBENA 010
 REPEAT: H= 13cm




ALBENA 044
 REPEAT: H= 13cm



ALBENA 210
 REPEAT: H= 13cm




ALBENA 180
 REPEAT: H= 13cm




ALBENA 160
 REPEAT: H= 13cm




BRAY 050
 REPEAT: H= 9.1cm




BRAY 180
 REPEAT: H= 9.1cm




BRAY 160
 REPEAT: H= 9.1cm




BRAY 085
 REPEAT: H= 9.1cm



BRAY 060
 REPEAT: H= 9.1cm



BRAY 040
 REPEAT: H= 9.1cm



BRAY 020
 REPEAT: H= 9.1cm




CURIOSITY 224
 REPEAT: H= 19cm




CURIOSITY 041
 REPEAT: H= 19cm



CURIOSITY 047
REPEAT: H= 19cm




CURIOSITY 015
REPEAT: H= 19cm



CURIOSITY 165
REPEAT: H= 19cm



CURIOSITY 188
REPEAT: H= 19cm




NEWKOBLENZ 090
REPEAT: H= 10cm



NEWKOBLENZ 120
REPEAT: H= 10cm



NEWKOBLENZ 160
REPEAT: H= 10cm



NEWKOBLENZ 180
REPEAT: H= 10cm



NEWKOBLENZ 230
REPEAT: H= 10cm



NEWKOBLENZ 021
REPEAT: H= 10cm



NEWKOBLENZ 044
REPEAT: H= 10cm



NEWKOBLENZ 210
REPEAT: H= 10cm




NEWKOBLENZ 010
REPEAT: H= 10cm




NEWKOBLENZ 101
REPEAT: H= 10cm




NEWKOBLENZ 050
REPEAT: H= 10cm




NATADOLA 090
REPEAT: H= 14.5cm | V= 17.5cm




NATADOLA 044
REPEAT: H= 14.5cm | V= 17.5cm




NATADOLA 210
REPEAT: H= 14.5cm | V= 17.5cm




NATADOLA 021
REPEAT: H= 14.5cm | V= 17.5cm




NATADOLA 010
REPEAT: H= 14.5cm | V= 17.5cm



NATADOLA 101
REPEAT: H= 14.5cm | V= 17.5cm



NATADOLA 050
REPEAT: H= 14.5cm | V= 17.5cm



NATADOLA 161
REPEAT: H= 14.5cm | V= 17.5cm



NEGRIL#R 090
REPEAT: H= 13.8cm | V= 17.5cm



NEGRIL#R 044
REPEAT: H= 13.8cm | V= 17.5cm



NEGRIL#R 210
REPEAT: H= 13.8cm | V= 17.5cm



NEGRIL#R 021
REPEAT: H= 13.8cm | V= 17.5cm



NEGRIL#R 010
REPEAT: H= 13.8cm | V= 17.5cm



NEGRIL#R 101
REPEAT: H= 13.8cm | V= 17.5cm



NEGRIL#R 050
REPEAT: H= 13.8cm | V= 17.5cm



NEGRIL#R 161
REPEAT: H= 13.8cm | V= 17.5cm



PINAMAR 090
REPEAT: H= 14cm | V= 17.3cm



PINAMAR 044
REPEAT: H= 14cm | V= 17.3cm



PINAMAR 210
REPEAT: H= 14cm | V= 17.3cm



PINAMAR 021
REPEAT: H= 14cm | V= 17.3cm



PINAMAR 010
REPEAT: H= 14cm | V= 17.3cm




PINAMAR 101
REPEAT: H= 14cm | V= 17.3cm



PINAMAR 050
REPEAT: H= 14cm | V= 17.3cm



PINAMAR 161
REPEAT: H= 14cm | V= 17.3cm



LAPUNTA 120
REPEAT: H= 35.2cm | V= 6.8cm + 3%



LAPUNTA 160
REPEAT: H= 35.2cm | V= 6.8cm + 3%



LAPUNTA 210
REPEAT: H= 35.2cm | V= 6.8cm + 3%



LAPUNTA 211
REPEAT: H= 35.2cm | V= 6.8cm + 3%



LAPUNTA 025
REPEAT: H= 35.2cm | V= 6.8cm + 3%



LAPUNTA 205
REPEAT: H= 35.2cm | V= 6.8cm + 3%



LAPUNTA 180
REPEAT: H= 35.2cm | V= 6.8cm + 3%



RONDINARA 210
REPEAT: H= 35.1cm | V= 37.07cm + 3%



RONDINARA 165
REPEAT: H= 35.1cm | V= 37.07cm + 3%



RONDINARA 160
REPEAT: H= 35.1cm | V= 37.07cm + 3%



RONDINARA 010
REPEAT: H= 35.1cm | V= 37.07cm + 3%



RONDINARA 050
REPEAT: H= 35.1cm | V= 37.07cm + 3%



RONDINARA 051
REPEAT: H= 35.1cm | V= 37.07cm + 3%



KAPUTAS 090
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 040
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 022
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 021
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 023
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 061
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 030
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 102
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 082
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 162
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 160
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 164
REPEAT: H= 35.6cm | V= 46.18cm



KAPUTAS 180
REPEAT: H= 35.6cm | V= 46.18cm



CORONADO 180
REPEAT: H= 35cm | V= 34cm



CORONADO 051
REPEAT: H= 35cm | V= 34cm



CORONADO 021
REPEAT: H= 35cm | V= 34cm



CORONADO 081
REPEAT: H= 35cm | V= 34cm



CORONADO 090
REPEAT: H= 35cm | V= 34cm




LAYTOWN 180
REPEAT: H= 34.2cm | V= 34.2cm




LAYTOWN 164
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 081
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 160
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 090
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 051
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 021
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 224
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 041
REPEAT: H= 34.2cm | V= 34.2cm



LAYTOWN 210
REPEAT: H= 34.2cm | V= 34.2cm



“Hygiene Protection”

Safe for your health. Sunproof fabric is specially treated with sanitized product for hygiene protection. This product inhibits microbial developments and mould stains.



“Superb UV Protection”

High UV Protection rating. Sunproof fabric has gone through high quality of testing and evaluated by an internationally recognized research and service centre, the Hohenstein Institute, Germany.

Proven Quality. Sunproof has obtained UV Standard 801 certificate - protect 80 which means it is capable of blocking more than 97% UV Ray.



“Wide Range of Colors & Design”

Sunproof provides choices. Every individual may have different taste and different color preferences. Therefore, wide variety of designs and colors are launched to the market to suit your needs.

Let us be a trend setter. Sunproof makes every effort to be the leader in providing you new colors and designs one-step-ahead of others.



“Easy Maintenance”

Extreme stain resistant. Sunproof fabric is carefully processed and has gone through a special treatment to reduce the fabric absorption of soil and stains. It keeps the fabric looking clean, fresh and new.

Water repellent. Sunproof fabric is protected by an invisible shield around each of its fiber to keep the fabric dry and clean. It is a natural anti adhere.



“Outstanding Color Fastness”

Strong color fastness to artificial weathering. Some fabrics if exposed to sunlight for an extended period will fade or lose their intensity of color.



“Environmental Friendly”

Woven from 100% solution dyed olefin yarn. Sunproof has chosen to use the premium quality of Solution Dyed Olefin. Solution dyeing is a clean manufacturing process as the colour is added before the yarn is extruded. It is friendly to the environment because no dye bath processes are used, eliminating waste effluents, which may pollute air and water. Sunproof fabric is 100% recyclable.



“Excellent Weatherability”

Resistant to UV damage and fading. Sunproof applies excellent ultraviolet blocking agents which protect polymer backbone of the fabric from the effect of UV radiation.

Perfect for all outdoor applications. Therefore as an outdoor fabric, Sunproof is proven to have a strong ability to withstand the effects of prolonged exposure to sunlight, wind, rain and humidity. It is long lasting.



“Safe for Direct Skin Contact”

Sunproof is Oeko - Tex certified. Oeko-Tex is the world's leading ecolable for textile. Being Oeko-Tex certified means Ateja Sunproof fabric are free of substances which might be harmful to humans and environment.

TECHNICAL DATA

<u>DESCRIPTION</u>	<u>TEST STANDARD</u>	<u>RESULT</u>
Color Fastness to Artificial Weathering	BS EN ISO 105:B04 - max 8	7 - 8
Color Fastness to Rubbing	EN ISO 105-X12	
	Dry Rubbing	Pass
	Wet Rubbing	Pass
Color Fastness to Chlorinated Pool Water	BS EN ISO 105-E03 - max 5	Pass
Color Fastness to Sea Water	BS EN ISO 105-E02 - max 5	Pass
Soil Release	AATCC 130	5
Dimensional Stability to washing	EN ISO 6330	
	- Length	<-1.0%
	- Width	<-1.0%
Weatherability	ASTM G53 - 96 - American Standard (hours)	1,500
Pilling Resistance	EN ISO - 12945 - 2 - max 5 after 2,000 rubs	4 - 5
Seam Slippage	prEN ISO 13936 - 2	5
Tear Strength	EN ISO 13937-3	Pass
Tensile Strength	EN ISO 13934-1	Pass
Water Repellency	AATCC Test Method 22 - 2005 - max 100	80
Flammability	BS EN 1021-1, 2006 - Cigarette	Pass
Anti Mildew	AATC 147 : 2011 & 30 : 2004	Pass
Care Instruction		

Stock may vary from sample in color & texture.

In spite of excellent properties, Olefin yarn has a certain level of durability (depends on climate and proper use of fabric)



Produced by

